

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	· FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/721,737	11/26/2003	Hee Seok Roh	K-0583 3954	
34610 7590 05/18/2007 KED & ASSOCIATES, LLP  EXAMINER				
P.O. Box 2212	00		PATEL, RITA RAMESH	
Chantilly, VA 20153-1200			ART UNIT	PAPER NUMBER
			1746 .	
			MAIL DATE	DELIVERY MODE
			05/18/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Advisory Action Before the Filing of an Appeal Brief

Application No.	Applicant(s)
10/721,737	ROH, HEE SEOK
Examiner	Art Unit
Rita R. Patel	1746

	Rita R. Patel	1746	
The MAILING DATE of this communication appe	ars on the cover sheet with the c	correspondence add	lress
THE REPLY FILED <u>07 May 2007</u> FAILS TO PLACE THIS APP	LICATION IN CONDITION FOR AL	LOWANCE.	
1.  The reply was filed after a final rejection, but prior to or on this application, applicant must timely file one of the follow places the application in condition for allowance; (2) a No a Request for Continued Examination (RCE) in compliance time periods:	ving replies: (1) an amendment, aft tice of Appeal (with appeal fee) in (	fidavit, or other evider compliance with 37 C	nce, which FR 41.31; or (3)
a) $\square$ The period for reply expires $3$ months from the mailing date	of the final rejection.		
b) The period for reply expires on: (1) the mailing date of this A no event, however, will the statutory period for reply expire is Examiner Note: If box 1 is checked, check either box (a) or the checked of the checked in the checked of the check	ater than SIX MONTHS from the mailin (b). ONLY CHECK BOX (b) WHEN THI	g date of the final rejecti	ion.
TWO MONTHS OF THE FINAL REJECTION. See MPEP 7 Extensions of time may be obtained under 37 CFR 1.136(a). The date have been filed is the date for purposes of determining the period of ex under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the set forth in (b) above, if checked. Any reply received by the Office later may reduce any earned patent term adjustment. See 37 CFR 1.704(b) NOTICE OF APPEAL	on which the petition under 37 CFR 1. tension and the corresponding amount shortened statutory period for reply origor than three months after the mailing da	of the fee. The approprinally set in the final Offi	riate extension fee ice action; or (2) a
<ol> <li>The Notice of Appeal was filed on A brief in comp</li> </ol>	olionoo with 27 CEP 41 27 must be	filed within two month	he of the date of
filing the Notice of Appeal (37 CFR 41.37(a)), or any exte a Notice of Appeal has been filed, any reply must be filed	nsion thereof (37 CFR 41.37(e)), to	avoid dismissal of th	
AMENDMENTS			
<ol> <li>The proposed amendment(s) filed after a final rejection,</li> <li>(a) They raise new issues that would require further co</li> <li>(b) They raise the issue of new matter (see NOTE belo</li> <li>(c) They are not deemed to place the application in being appeal; and/or</li> <li>(d) They present additional claims without canceling a</li> </ol>	nsideration and/or search (see NO w); tter form for appeal by materially re corresponding number of finally rej	TE below);	
NOTE: (See 37 CFR 1.116 and 41.33(a)).			
4. The amendments are not in compliance with 37 CFR 1.1		empliant Amendment	(PTOL-324).
<ol> <li>Applicant's reply has overcome the following rejection(s)</li> <li>Newly proposed or amended claim(s) would be all non-allowable claim(s).</li> </ol>		timely filed amendme	ent canceling the
7.  For purposes of appeal, the proposed amendment(s): a) how the new or amended claims would be rejected is pro The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to:		II be entered and an o	explanation of
Claim(s) rejected: <u>1-20</u> . Claim(s) withdrawn from consideration:			
AFFIDAVIT OR OTHER EVIDENCE			
<ol> <li>The affidavit or other evidence filed after a final action, but because applicant failed to provide a showing of good an was not earlier presented. See 37 CFR 1.116(e).</li> </ol>			
9. The affidavit or other evidence filed after the date of filing entered because the affidavit or other evidence failed to showing a good and sufficient reasons why it is necessar	overcome <u>all</u> rejections under appe	al and/or appellant fa	ils to provide a
10. ☐ The affidavit or other evidence is entered. An explanatio REQUEST FOR RECONSIDERATION/OTHER	n of the status of the claims after e	ntry is below or attac	hed.
<ol> <li>The request for reconsideration has been considered bu <u>See Continuation Sheet.</u></li> </ol>		n condition for allowa	nce because:
12.  Note the attached Information Disclosure Statement(s).	(PTO/SB/08) Paper No(s)	11.16	$\supset$
13.		100	
•		MICHAEL D	ADD

MICHAEL BARR
SUPERVISORY PATENT EXAMINER

Continuation of 11. does NOT place the application in condition for allowance because: In response to Applicant's Remarks filed 5/7/07, it is noted that Applicant argues "configured to" language in the claims must require Clearman's teaching of said limitation, specifically the limitation claiming selective spraying from the spray nozzles. However, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. The Office maintains that the first and second modes of operation in Clearman are considered to be an equivalent to an "ON" and "OFF" spraying position. During the "ON" mode, the upper and lower spray arms 36, 52 spray in a rotational formation in a multitude of directions; the many directions that the arms spray in read at least on Applicant's claims for a first and second spraying direction. Finally, it is at once envisaged that the spray arms of Clearman are rotatably coupled to the receiving member 38, so they can perform rotational spraying. As illustrated in Figure 1 of Clearman, it is seen that the spray arms rotate horizontally relative to the connection with vertical receiving member 38. Thus the Office maintains its rejection over Clearman.